




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G07F 19/00	A1	(11) International Publication Number: WO 00/28495 (43) International Publication Date: 18 May 2000 (18.05.00)
(21) International Application Number: PCT/GB99/03676 (22) International Filing Date: 8 November 1999 (08.11.99) (30) Priority Data: <i>date no good</i> 9824762.0 <u>11 November 1998 (11.11.98)</u> GB (71) Applicant (for all designated States except US): NCR INTERNATIONAL, INC. [US/US]; 1700 South Patterson Boulevard, Dayton, OH 45479 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): SAVAGE, John, Gerard [GB/GB]; 18 Hamilton Avenue, Tayport, Fife DD6 9BW (GB). BLACK, Jonathan, Simon [GB/GB]; 13A St. Peter Street, Dundee DD1 4JJ (GB). NICOLL, Kenneth, Andrew [GB/GB]; Parkview, 174 Coupar Angus Road, Birkhill, Dundee DD2 5PG (GB). (74) Agent: WILLIAMSON, Brian; NCR Limited, International Patent Department, 206 Marylebone Road, London NW1 6LW (GB).		(81) Designated States: BR, CN, JP, US, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>

(54) Title: SELF-SERVICE TERMINAL

(57) Abstract

A self-service terminal, such as an ATM (10), comprises a speech generator (31) and loudspeaker (30) for producing natural language operating instructions for a user, and a user interface (12) permitting the user to interact with the terminal (10) in response to the spoken instructions. The user interface may include a microphone (32) and a speech recognition module (33).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

SELF-SERVICE TERMINAL

This invention relates to a self-service terminal (SST), such as an automated teller machine (ATM). In particular, the present invention relates to an SST which facilitates communication with a user.

A conventional self-service terminal (SST), such as an automated teller machine (ATM), comprises a user keypad for, among other things, selecting menu options, inputting personal identification number (PINs) and the like, and a screen for displaying information to be read by the user, such as instructions and prompts. SSTs used to carry-out security sensitive operations, such as an ATM utilised in the withdrawal of funds from a bank account, may also incorporate means for assisting in identifying a user, or verifying the identity of a user, such as a card reader, accessed via a card reader slot.

While such conventional machines may be used without difficulty by many people, there is a significant proportion of the population who will experience difficulties interacting with such machines. In particular, user instructions and prompts are displayed on

a relatively small CRT or LCD display, and thus persons with reading difficulties or any visual impairment may find it difficult if not impossible to operate a machine. For example, a person who is "long-sighted", and who does not have vision-correcting eyeglasses in their possession, may have difficulty reading instructions and prompts from such a display.

It is among the objectives of embodiments of the present invention to obviate or mitigate this disadvantage.

According to the present invention there is provided a self-service terminal (SST) comprising:

instructing means for producing audible terminal operating instructions for the user;

interface means for permitting the user to interact with the terminal in response to said instructions; and

means for processing user interactions with the terminal.

According to another aspect of the present invention there is provided a method of operating a self-service terminal (SST), the method comprising:

producing audible device operating instructions for a terminal user;

permitting the user to interact with the terminal in

response to said instructions; and

processing user interactions with the terminal.

As used herein, the term "device operating instructions" is intended to encompass terminal outputs such as prompts and information relating to a transaction or operation to be carried out on the SST, and also information or other matter not directly relevant to a current transaction or operation, such as information on other services provided by the device operator, for example information on services provided by a financial institution, or an invitation to arrange a meeting with an advisor.

In a preferred embodiment the present invention permits a self-service terminal to communicate with a user through natural speech or other sounds, and thus obviates the difficulties associated with the user having to read device operating instructions or prompts from a small screen or other display.

Preferably, the terminal further comprises means for recognising natural speech, such that the user may interact with the terminal using spoken instructions and prompts.

This permits the user and terminal to converse: the terminal will issue instructions in natural speech; the

user will provide a spoken response; and the terminal will process and react to the user response. The instructions issued may be tailored to provoke a number of predetermined responses, for example "yes" or "no", and the processing means may be tailored to expect and respond appropriately to a selected one of the anticipated responses.

Preferably also, the instructing means is capable of producing a selected one of a plurality of voices during a transaction or operation, for example a female voice and a male voice. The voice produced by the terminal may be pre-selected by the user, or be pre-selected depending on the age or sex of the user, for example the terminal may issue instructions with a young person's voice when it has been ascertained that a young person is using the machine. In addition, the instructing means may be capable of issuing instructions in a local accent or dialect, and where the terminal includes speech recognition means, such means may be capable of receiving and understanding instructions in a local accent or dialect: for example, in some parts of the United Kingdom, many people will use the word "Aye", rather than "Yes", and numbers, as may make up a personal identification number (PIN) or a sum of funds to be withdrawn from an ATM, are often pronounced differently in

different geographical areas.

The terminal may further comprise means for identifying the user or verifying the identity of the user.

Such means may include a card reader or a biometric sensor, and the user may also have to verify their identity by inputting a personal identification number (PIN) or code word.

The terminal may further comprise means for sensing that a user wishes to use the terminal, such as a proximity sensor which identifies that a user has approached the terminal, and on sensing the presence of the user the instructing means may issue an initial instruction, prompt or greeting and the user interaction means be prepared to receive one of a number of anticipated user inputs or responses, or to initiate a user identification or identity verification process. In the absence of an appropriate user input within a predetermined time interval, the terminal may return to a "waiting" mode, ready to greet the next user.

These and other aspects of the present invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a diagrammatic representation of an SST in

accordance with one embodiment of the present invention, in the form of an ATM; and

Figure 2 is a block diagram representation of the terminal of Figure 2.

Reference is first made to Figure 1 of the drawings, which illustrates an SST in accordance with one embodiment of the present invention in the form of an ATM 10. In this example, the ATM 10 includes many of the features of a conventional ATM, namely an interface means in the form of a user panel 12 including a card reader slot 14 (which is shown having means for identifying the user in the form of an identification card 15 partially inserted therein), a key pad 16 for entering the user's personal identification number (PIN) and transaction details, a cash dispenser slot 18 through which bank notes are dispensed to a user, a display screen 20 for providing information to the user, additional keys 21 disposed at opposite sides of the screen 20 for enabling the user to select preset functions displayed on the screen 20 and aligned with the additional keys 21, and a receipt printer slot 22 through which a receipt for a transaction may be delivered to a user at the end of a transaction.

In addition, the ATM 10 of the present invention

includes a loudspeaker 30 and a microphone 32, which allow the ATM 10 and the user to communicate primarily or solely using natural speech, as described below.

Reference is now also made to Figure 2 of the drawings, which is a block diagram of the ATM 10 of Figure 1. Figure 2 shows a user interface module block 40 including the loudspeaker 30, a speech generation module 31, the microphone 32 and a speech processing and recognition module 33. The block 40 also includes the other elements found in a conventional ATM user interface, that is a card reader module 42, the key pad 16, the display 20, and a receipt printer module 44. The card reader module 42 and the receipt printer module 44 are associated with the respective slots 14 and 22 of the user panel 12 of the ATM 10. Figure 2 also shows a cash dispenser module 46 which is associated with the cash dispenser slot 18.

The ATM 10 further comprises processor means in the form of a controller unit 50 which communicates with components of the user interface module block 40, with an operator panel 52 mounted inside to ATM 10, and with the cash dispenser module 46.

The operator panel 52 contains circuitry for enabling

an authorised operator to interact with the ATM 10. Standard operator panels 52 are used on a commercially available ATMs and are well known in the art. Similarly, the cash dispenser module 46 will not be described herein as it is a standard feature of a conventional ATM.

The controller unit 50 includes a processor unit 54 and a non-volatile memory 56. The processor unit 54 and memory 56 may be implemented by a micro-computer having non-volatile RAM; suitable computers and memories are readily available commercially.

In use, the user inserts their card 15 into the card reader slot, and identification data encoded on the card (typically in a magnetic strip located on one side of the card) is read by the card reader module 42. By doing this the user is claiming an identity. For using this example of an ATM 10, the user will have previously identified a preference for the manner in which the user communicates with ATMs 10: in the conventional manner via the screen display 20 and the keypad 16 and keys 21; or, where available, by natural speech via the loudspeaker 30 and microphone 32. In the latter case, the user is requested, by appropriate actuation of the speech generation module 31 and loudspeaker 30, to state their identification number

(PIN) or a code word to verify the claimed identity, that is to verify that the person in possession of the card 15 is the authorised card owner. The user then speaks into the microphone 32, the speech recognition module 33 processing the speech sounds. If the user's identity is verified by recitation of the correct PIN or code word, the user is permitted to access the facilities provided by the ATM 10 and a menu of the various transactions available to the user is described via the loudspeaker 30: the speech generation module 31 may be controlled to run through a sequence of options and to prompt a particular response if a particular option is to be selected, for example:

ATM: "If you wish to withdraw cash, please say
 "one" into the microphone; or
 if you wish to hear your account balance;
 please say "two"."

User: "One".

This "conversation" continues until the transaction has been completed, or is interrupted.

It will be apparent to those of skill in the art that the ATM 10 described above may be utilised without

difficulty by users with reading difficulties and users who are visually impaired. Further, it is anticipated that many other users would prefer to converse with a terminal, particularly as the voice generation module 31 may be configured to issue instructions in a particular voice, accent or dialect: for example, the ATM 10 may converse with a user with a woman's voice, with a local accent and in local dialect. Other users may choose other voices, or the voice may be selected by the ATM operator: a user whose account is overdrawn may be advised, in a stern male voice, to immediately contact the relevant financial institution. Also, the voice may be varied during a transaction, for example one voice may be used to issue instructions and prompts, and another voice used to describe other services not related to the transaction in progress.

Similarly, the speech recognition module 33 may be configured to expect instructions and prompts from the user in different voices, accents and dialects.

Users may be reluctant to converse with a terminal within earshot of others, particularly where security sensitive information, such as a PIN or code word, is being relayed to the terminal. Accordingly, terminals in

accordance with the invention may be enclosed, partially enclosed, or otherwise arranged to minimise the possibility of the conversation between the terminal and the user from being overheard by third parties. Alternatively, or in addition, the terminal may be provided with sensors for determining the location of the user, and directional loudspeakers and microphones, such that the speech volume may be kept at a relatively low level, and to assist in eliminating background noise.

To obviate the requirement for the user to state an identification number (PIN) or the like, terminals in accordance with the invention may utilise biometric sensing means for identifying or verifying the identity of the user. Such biometric sensing means are known and may use one or more of a variety of biometric patterns, including iris patterns, fingerprints, palm prints, voice patterns, finger geometry, or other physical traits or characteristics.

The embodiment described above incorporates many of the features of a conventional ATM, however it is of course possible to provide a terminal in accordance with the invention which may omit, for example, the keypad 16, display screen 20 and keys 21, with a corresponding saving

in costs, and providing greater flexibility in the design and configuration of the terminal.

In other embodiments, the SST may take a different form from that illustrated and described, for example a kiosk for issuing flight tickets.

CLAIMS

1. A self-service terminal (10) comprising:

 instructing means (30, 31) for producing audible terminal operating instructions for the user;

 interface means (12) for permitting the user to interact with the terminal (10) in response to said instructions; and

 means (54) for processing user interactions with the terminal.
2. The terminal of claim 1, wherein the instructing means (30, 31) issues device operating instructions in natural speech.
3. The terminal of claim 1 or 2, comprising means (32, 33) for recognising speech, such that the user may interact with the terminal using spoken instructions and prompts.
4. The terminal of any of the preceding claims, wherein the instructing means (30, 31) produces a selected one of a plurality of available voices during a transaction or

operation.

5. The terminal of any of the preceding claims further comprising means for one of identifying the user and verifying the identity of the user.

6. A method of operating a self-service terminal (SST), the method comprising:

producing audible terminal operating instructions for a terminal user;

permitting the user to interact with the terminal in response to said instructions; and

processing user interactions with the terminal.


7. The method of claim 6, wherein the audible terminal operating instructions comprise natural speech.

8. The method of claim 6 or 7, further comprising permitting the user to input information to the terminal using speech.

9. The method of claim 6, 7 or 8, wherein the instructions issued by the terminal are tailored to provoke one of a number of predetermined response.


10. The method of any of claims 6 to 9, further comprising producing instructions in a selected one of a plurality of available voices.

1/2

FIG. 1

2/2

FIG. 2



INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 99/03676

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G07F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G07F G10L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A	EP 0 860 772 A (SENSHU BANK LTD) 26 August 1998 (1998-08-26) column 1, line 5 - line 9 column 3, line 5 - line 24 column 3, line 51 - column 4, line 17 column 10, line 26 - line 47; claims 1,3-5; figures 1,2 abstract	1-3,5-9 4,10
X A	GB 2 119 992 A (TOKYO SHIBAURA ELECTRIC CO) 23 November 1983 (1983-11-23) page 1, line 10 - line 22 page 1, line 49 - line 75; claim 1; figures 2,13,14,17 abstract	1,2,4,6, 7,10 3,5,8,9
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"A" document member of the same patent family

Date of the actual completion of the international search

17 February 2000

Date of mailing of the international search report

25/02/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040. Tx. 31 651 epo nl.

Authorized officer

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 99/03676

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 420 751 A (PAGANINI BRUNO J ET AL) 13 December 1983 (1983-12-13)	1,2,6,7
A	column 2, line 27 - line 44 abstract	3-5,8-10
A	WO 98 23062 A (NETIX INC T) 28 May 1998 (1998-05-28) abstract; figures 1-6	5

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 99/03676

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0860772 A	26-08-1998	JP 10105368 A AU 3459197 A CA 2231585 A WO 9802795 A	24-04-1998 09-02-1998 22-01-1998 22-01-1998
GB 2119992 A	23-11-1983	JP 58192166 A JP 58192171 A HK 14288 A US 4593183 A	09-11-1983 09-11-1983 04-03-1988 03-06-1986
US 4420751 A	13-12-1983	EP 0092582 A WO 8301689 A	02-11-1983 11-05-1983
WO 9823062 A	28-05-1998	AU 7304798 A EP 0938793 A	10-06-1998 01-09-1999